PalinGen® Dual Layer Amniotic Membrane



- **Dual-Layer**
  Two layers of amniotic tissue
- **Easy to Use**
  Thicker graft facilitates handling in robotic and laparoscopic surgical procedures
- **Wound Covering**
  Acts as a barrier to protect the wound
- **Easy Placement**
  Dual layer allows placement of the graft on either side, eliminating orientation restrictions in surgical repair
- **Biomechanical Integrity**
  Offers greater tensile strength, shape manipulation and slower resorption in vivo[1]
- **Chorion Free**

Pinnacle Transplant Technologies™

BENEFITS OF **AMNIOTIC MEMBRANE**

- ✓ Resorbable allografts intended for homologous use as a wound covering
- ✓ Acts as a barrier for acute and chronic wounds
- ✓ Provides protective coverage from the surrounding environment

Ordering Information

Product Description	Size	Product Code
PalinGen® Dual Layer X-Membrane	2 x 3cm	DLX-020203
	4 x 4cm	DLX-020404
	4 x 6cm	DLX-020406
	4 x 8cm	DLX-020408

For more information, visit
PinnacleTransplant.com

1. Spoerl, et al. Ophthalmic Res. 2004;36(2):71-7

PALINGEN® MEMBRANE PROCESSING

PalinGen amniotic membranes are donated by healthy, pre-screened, consenting women and processed in accordance with FDA regulations and AATB standards

TISSUE COLLECTION

Placental tissue is donated from live births in the U.S.

DONOR SCREENING

A thorough medical and social history is obtained for each donor to ensure eligibility requirements are met

SEROLOGICAL TESTING

- HBsAg
- HBcAb
- HCVAb
- HCV NAT
- HBV NAT
- HIV NAT
- HIV 1/2Ab
- WNV NAT
- RPR/STS
- HTLV I/II Ab

TISSUE PROCESSING

All tissue undergoes a proprietary cleansing process to remove blood contaminants and reduce bioburden

TISSUE STERILIZATION

Tissue is sterilized for an additional level of safety, achieving a sterility assurance level (SAL) of 10^{-6}

Pinnacle Transplant Technologies™
Improving today. Advancing tomorrow.

1125 W. Pinnacle Peak Rd, Bldg. #2 | Phoenix, AZ 85027
Tel: 623.277.5400 | orders@pinnacletransplant.com
www.pinnacletransplant.com

MKT001-F09 / Revision 4